



## SAFETY DATA SHEET

### 1. Product and Company Identification

**Company Name:** Sierra Aust Pty Ltd  
 17 Delta Street, Geebung  
 Queensland 4034  
[sales@sierrachem.com.au](mailto:sales@sierrachem.com.au)

**Emergency Contact:** Sierra (07) 3216 5099 Poisons Information Centre 13 11 26

Ph (07) 3216 5099  
 Fx (07) 3216 5199

**Product Name:** **Voodoo Colour Changing Wheel Cleaner**  
**Product Code:** 6624 200 lt  
**Intended Use:** Automotive Wheel Cleaner / Degreaser  
**Chemical Nature:** Mixture of detergents

### 2. Hazards Identification

**Acute Toxicity:** Oral, Category 4  
**Skin Irritation:** Category 3  
**Serious Eye Damage/Irritation:** Category 2B



**GHS Signal Word:** **Warning**  
**GHS Hazard Phrases:** H302 Harmful if swallowed.  
 H315 Causes Skin irritation.  
 H318 Causes serious eye irritation

**Precautionary Statements:**

**Prevention:** P264 Wash hands thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P280 Wear protective gloves and eye protection.

**Response:** P301+P312 IF SWALLOWED: Call POISONS INFORMATION CENTRE or a doctor if you feel unwell.  
 P330 Rinse mouth. P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
 P321 Use moisturizing cream.  
 P332+P313 If skin irritation occurs: Get medical attention.  
 P362 Take off contaminated clothing and wash before use.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 If eye irritation persists: Get medical attention.

**Storage:** Keep closed and away from children. Keep away from heat or flame.

### 3. Composition / Information on Ingredients

**Substance / Mixture:** Mixture  
**Product Description:** Cleaner / Degreaser

Chemical Name	Cas Number	% In Product
Sodium Mercaptoacetate	367-51-1	10-15%
Alcohols C12-C14 Ethoxylated	68891-38-3	<2%
2-Butoxyethanol	111-76-2	<1%
Other ingredients not classified as hazardous		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if applicable are listed in section 8.

### 4. First aid Measures

<b>General information</b>	Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.
<b>Inhalation</b>	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
<b>Skin contact</b>	It is important to remove the substance from the skin immediately. In the event of any sensitisation symptoms developing, ensure further exposure is avoided. Remove contamination with soap and water or recognised skin cleansing agent. Get medical attention if symptoms are severe or persist after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue. If it is suspected that volatile contaminants are still present around the affected person, first aid personnel should wear an appropriate respirator or self-contained breathing apparatus. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.

**4.1. Most important symptoms and effects, both acute and delayed**

<b>General information</b>	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	Prolonged inhalation of high concentrations may damage respiratory system.
<b>Ingestion</b>	May cause sensitisation or allergic reactions in sensitive individuals. May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.
<b>Skin contact</b>	May cause skin sensitisation or allergic reactions in sensitive individuals. Prolonged contact may cause dryness of the skin.
<b>Eye contact</b>	May cause temporary eye irritation.

**4.2. Indication of any immediate medical attention and special treatment needed**

**Notes for the doctor** Treat symptomatically. May cause sensitisation or allergic reactions in sensitive individuals.

**5. Fire Fighting Measures**

**Extinguishing Media**

**Suitable Extinguishing Media:** Regular Foam, Waterfog, Carbon Dioxide, or Dry Chemical

**Unsuitable Extinguishing Media:** None known.

**Specific Hazards arising from the Chemical:** This product is not a combustible liquid.

**Hazardous thermal decomposition products**

**Flash Point:** Does not burn  
**Upper Flammability Limit:** Does not burn  
**Lower Flammability Limit:** Does not burn  
**Special protective actions for fire fighters:** If there is a fire, promptly isolate the scene by removing all persons from the vicinity of the incident  
**Special protective equipment for fire fighters:** Fire fighters should wear appropriate protective equipment and self contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.  
**Hazardous decomposition:** Oxides of carbon or traces of hydrocarbons may be formed in small amounts  
**Special Fire Fighting Procedures:** Clear fire area of personnel. Do not enter confined fire area without full bunker gear and positive pressure breathing apparatus.  
**Unusual Fire/Explosion Hazards:** Not listed.

**6. Accidental Release Measures**

**Personal precautions, protective equipment and emergency procedures**

**For non-emergency personnel:** No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No smoking or flares in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.  
**For emergency responders:** If specialized clothing is required to deal with the spillage, take note of any information in section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel"  
**Environmental precautions:** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air)

**Methods and materials for containment and cleaning up**

**Small spill:** Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water soluble. Alternatively, or if water insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Use spark proof tools and explosion proof equipment. Dispose via a licensed waste disposal contractor.  
**Large spill:** Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non combustible, absorbent material e.g. sand, earth, vermiculite or Diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark proof tools and explosion proof equipment. Dispose via a licensed waste contractor. Contaminated absorbent material may pose the same hazard.

Use gloves, goggles, Boots and Breathing Mask. Small amounts do not need special measures. Clean up with water. For large spills, remove all sources of ignition. Ventilate area. Absorb with an inert absorbent material. Avoid runoff into drains and sewers. All used and unused product should be disposed of in accordance with local, state and federal regulations.

**7. Handling and Storage**

**Precautions for safe handling:** Put on appropriate protective equipment (see section 8). Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, keep tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Do not reuse container. Wash thoroughly after use.  
**Conditions for safe storage:** Store in original container protected from direct sunlight in a dry, cool and well ventilated area, away from incompatible materials (see section 10) and food and drink. Do not store in unlabeled containers. Do not weld on or near containers either empty or full. Secure all chemicals out of the reach of children.

**8. Exposure Controls and Personal Protection**

**Control Parameters**

**Occupational exposure limits**

Ingredient Name	CAS#	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )
-----------------	------	--------------------------	---------------------------

2-Butoxyethanol	111-76-2	123	246
Sodium Mercaptoacetate	367-51-1	not set	not set

**2-Butoxyethanol**

<b>DNEL</b>	Industry - Dermal; Short term : 89 mg/kg/day Industry - Inhalation; Short term : 246 mg/m <sup>3</sup> Industry - Dermal; Long term : 75 mg/kg/day Industry - Inhalation; Long term : 98 mg/m <sup>3</sup> Consumer - Dermal; Short term : 44.5 mg/kg/day Consumer - Inhalation; Short term : 123 mg/m <sup>3</sup> Consumer - Oral; Short term : 13.4 mg/kg/day Consumer - Dermal; Long term : 38 mg/kg/day Consumer - Inhalation; Long term : 49 mg/m <sup>3</sup>
<b>PNEC</b>	- Fresh water; 8.8 mg/l - Marine water; 0.88 mg/l - Sediment (Freshwater); 8.14 mg/kg - Soil; 2.8 mg/kg - STP; 463 mg/l

**Individual Protection Measures**

Hygiene Measures:	Wash hands forearms and face thoroughly after handling chemical products.
Eye/Face Protection:	Wear chemical safety goggles and face shield
Skin Protection:	Avoid skin contact. Wear gloves impervious to conditions of use.
Respiratory Protection:	Use a properly fitted, air purifying or air fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

**9. Physical and Chemical Properties**

Physical State:	Liquid	Specific Gravity:	1.07
Colour:	Colourless	Vapour Pressure:	n/a
Odour:	sweet	Volatiles:	n/a
pH:	7-7.5	Vapour Density:	n/a
Boiling Point:	100°C	Solubility:	100%
Flash Point:	n/a	Evaporation Rate:	<=Water

**10. Stability and Reactivity**

Reactivity:	No specific test data related to reactivity available for this product or its ingredients.
Chemical Stability:	The product is stable.
Possibility of hazardous reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions if Instability:	When exposed to high temperatures colour may fade and bottles may panel.
Conditions to Avoid:	
Hazardous decomposition products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**11. Toxicological Information**

<b>Toxicological Information:</b>	No data available		
<b>2-Butoxyethanol</b>			
Acute Toxicity Oral (LD50 1300mg/kg)	Species – Rat	ATE Oral (mg/kg)	1300
Acute Toxicity Dermal (LD50 2270 mg/kg)	Species – Rat	ATE Dermal (mg/kg)	1100
ATE Inhalation (vapours mg/ltr)			11
Skin Sensitisation:	Not sensitizing		
Genotoxicity:	No evidence of mutagenic properties		
Reproductive Toxicity:	Fertility: - NOAEL 720 mg/kg, , Mouse		

Developmental toxicity: - NOAEL: 100 mg/kg, , Rat

**12. Ecological Information**

**Ecotoxicological Data**

Product	Species	Test Results
Sodium Mercaptoacetate (CAS 367-51-1)		
<b>Aquatic</b>		
Acute		
Crustacea	EC50 Water flea (Daphnia Magna)	38mg/l, 48 hours
Fish	LC50 Leuciscus Idus	>880mg/l, 96 hours
Ecotoxicity:	Toxic to aquatic life	
Environmental Effects:	Toxic to aquatic organisms	
Aquatic Toxicity:	Toxic to aquatic organisms	
Persistence and Degradability:	Readily biodegradable	

**13 Disposal Considerations**

The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**14. Transport Information**

**UN Number:** This product is not classified as a Dangerous Good by ADG, IATA or IMDG/IMSBC criteria. No special transport conditions are necessary unless required by other regulations.

**15. Regulatory Information**

**AICS:** All of the significant ingredients in this product are compliant with NICNAS regulations.

**16. Other Information**

**This SDS contains only safety related information. For other information see product literature.**

Every endeavor has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Sierra (Aust) Pty Ltd accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.